



Head Office
Ammeraal Beltech Holding B.V.
Handelsstraat 1
P.O. Box 38
1700 AA Heerhugowaard
The Netherlands
T +31 (0) 72 57 51212
F +31 (0) 72 57 43364

info@ammeraalbeltech.com
www.ammeraalbeltech.com

Your service network



- >> **Austria**
Wiener Neudorf
T + 43 (0) 2236 61061
F + 43 (0) 2236 61041
- >> **Belgium**
Groot-Bijgaarden
T + 32 (0) 2 466 0300
F + 32 (0) 2 466 4272
- >> **Brazil**
São Paulo
T + 55 11 612 820 44
F + 55 11 612 873 37
- >> **Canada**
Mississauga
T + 1 905 890 1311
F + 1 905 890 3660
- >> **China**
Shanghai
T + 86 21 6534 4690
F + 86 21 6534 6100
- >> **Czech Republic**
Jihlava
T + 420 66 7330 056
F + 420 66 7330 637
- >> **Finland**
Tampere
T + 358 (0) 3 278 4400
F + 358 (0) 3 273 1400
- >> **France**
Seclin Cedex
T + 33 (0) 3 20 90 36 00
F + 33 (0) 3 20 32 29 17
- >> **Germany**
Geesthacht
T + 49 (0) 4152 937-0
F + 49 (0) 4152 77695
- >> **Italy**
Minerbio (Bologna)
T + 39 (0) 51 660 60 06
F + 39 (0) 51 660 60 16
- >> **Malaysia**
Petaling Jaya
T + 60 3 56348422
F + 60 3 56348497
- >> **Netherlands**
Heerhugowaard
T + 31 (0) 72 57 51212
F + 31 (0) 72 57 43364
- >> **Poland**
Bydgoszcz
T + 48 (0) 523460439
F + 48 (0) 523461358
- >> **Portugal**
Maia
T + 351 22 941 78 59
F + 351 22 941 30 81
- >> **Russia**
Moscow
T + 70 (0) 952735978
F + 70 (0) 952736405
- >> **Singapore**
Singapore
T + 65 273 9767
F + 65 273 5490
- >> **Slovakia**
Bratislava
T + 421 2 5564 8541/2
F + 421 2 5564 8543
- >> **South Korea**
Kyunggi-do
T + 82 (0) 31 459 2835-9
F + 82 (0) 31 459 0970
- >> **Spain**
Barberà del Vallés
T + 34 93 718 30 54
F + 34 93 718 38 43
- >> **Sweden**
Hanaskog
T + 46 (0) 44 43015
F + 46 (0) 44 43349
- >> **Switzerland**
Jona
T + 41 (0) 55 2253 535
F + 41 (0) 55 2253 636
- >> **Thailand**
Bangkok
T + 66 2 9948745
F + 66 2 5317266
- >> **United Kingdom**
Hertford
T + 44 1992 500550
F + 44 1992 553010
- >> **USA**
Chicago
T + 1 847 673 6720
F + 1 847 673 6373

Your local contact

Contact us to find your
nearest distributor.

Profiles

Technical overview
Productrange standard profiles





Only by development and precision we can provide the right solution for the customer's individual applications.

>> Our quality standards are set to match the highest requirements of our customers and their applications <<

Profiled belts to meet any requirement

On the basis of its many years interaction with engineers and end users, **Ammeraal Beltech** has developed a comprehensive range of profiled belts, capable of meeting all the requirements of industry with respect to efficient product handling.


Practically every **Ammeraal Beltech** belt can be profiled with one of over 60 standard available profiles, while specific requirements can be met with custom engineered solutions.

If necessary, new profiles are developed in close cooperation with the customer. Many of today's confectionery products for instance are profiled with brand names using customised **Ammeraal Beltech** belts.




To give you an impression of the practically unlimited possibilities that exist for improving your product handling, a few of our more successful profiled belts can be found on the following pages.

A2 Fine rectangle




>> confectionery, meat industry
>> p.d.: 0.2 mm, m.w.: 2200 mm

A5 Cone




>> meat industry, magnetic elevators
>> p.d.: 2.6 mm, m.w.: 1950 mm

A7 Lateral rope




>> canning industry
>> p.d.: 1.9 mm, m.w.: 1150 mm
>> pitch 16 mm, ribs square, 2 mm wide

A9 Coin




>> meat industry
>> p.d.: 3.4 mm, m.w.: 1150 mm
>> dia. 16 mm, pitch 30 mm

A11 Rib




>> drum lagging, tracking strips
>> p.d.: 2.1 mm, m.w.: 1150 mm
>> pitch 7.5 mm, ribs square, width 2.5 mm

A14 Weave




>> packaging, bakeries
>> p.d.: 0.4 mm, m.w.: 2850 mm
>> pitch 4.5 mm, diagonal impression

A15 Nipple




>> drum lagging, laundries, packaging, magnetic elevators
>> p.d.: 1.0 mm, m.w.: 2200 mm
>> dia. 2 mm

A16 Nipple (cone shape)




>> tobacco industry, magnetic elevators
>> p.d.: 1.5 mm, m.w.: 1110 mm
>> dia. 2.5 mm, pitch 9 mm

A17 Nipple 4.5 mm




>> laundry, metal polishing, harvesting
>> p.d.: 4.5 mm, m.w.: 1120 mm
>> dia. 6.0, pitch 13 mm

A18-P1 Fine square-Pyramid




>> bakery industry, rubber industry
>> p.d.: 0.5 mm, m.w.: 3000 mm

A19 Diamond 18 mm




>> wood sanding
>> p.d.: 4.2 mm, m.w.: 1950 mm
>> pitch 18 x 18 mm, diagonal

A20 Diamond 65 mm




>> airport check-in
>> p.d.: 4.5 mm, m.w.: 2200 mm
>> diagonal 65 x 65 mm

A21 Fine Diamond




>> confectionery, bakery industry
>> p.d.: 0.2 mm, m.w.: 2000 mm
>> diamonds 2.5 x 1.5 mm

A22 Sandblast (medium)




>> treadmills, drum lagging
>> m.w.: 2200 mm

A24 Herringbone




>> fish industry, textile industry
>> p.d.: 2.3 mm, m.w.: 950 mm
>> pitch 9 mm

A25 Cocks comb




>> packaging industry
>> p.d.: 4.3 mm, m.w.: 1150 mm

A26 Pyramid




>> marble and granite industry
>> p.d.: 1.9 mm, m.w.: 1100 mm


A26 Pyramid




>> marble and granite industry
>> p.d.: 1.9 mm, m.w.: 1100 mm




A27 Supernipple
 >>inclined applications
 >>p.d.: 3.0 mm, 1060 mm
 >>dia. 2 mm




A30 Chequer
 >>airport check-in
 (small angle of inclination)
 >>p.d.: 1.7 mm, m.w.: 1070 mm




A31 Longitudinal
 >>vegetable sorting
 >>p.d.: 3.2 mm, m.w.: 1100 mm
 >>pitch 20 mm, ribs semi-round,
 7 mm wide




P6 Grip face
 >>inclined applications
 >>p.d.: 3.5 mm, m.w.: 2000 mm




P7 Mini-grip
 >>packaging, bakery and
 tobacco industry
 >>p.d.: 1.0 mm, m.w.: 1600 mm
 >>straight




P9 Longitudinal ribs 5 mm
 >>grip in wet circumstances
 >>p.d.: 3.0 mm, m.w.: 1500 mm
 >>pitch 5 mm




A32 Fine Rib (longitudinal, small)
 >>general inclined transport
 >>p.d.: 0.6 mm, m.w.: 2200 mm




A34 Supergrip
 >>inclined applications
 >>p.d.: 2.4 mm, m.w.: 2200 mm




A42 Supergrip (wave)
 >>inclined applications
 >>p.d.: 2.4 mm, 2100 mm
 >>waving, low noise execution




P10 Treadmills
 >>treadmills
 >>m.w.: 3200 mm




P11 Transverse ribs, large
 >>drum lagging, tracking strips
 >>p.d.: 2.7 mm, m.w.: 1500 mm
 >>pitch 8 mm, ribs square,
 width 2.5 mm




P12 Triangle transverse ribs
 >>fish industry
 >>p.d.: 1.5 mm, m.w.: 1600 mm
 >>pitch 3.5 mm




A44 Interrib
 >>tobacco industry
 >>p.d.: 2.5 mm, m.w.: 2200 mm
 >>ribs 32 x 4 mm,
 pitch l = 58 mm, w = 20mm




A45 Bermuda
 >>fish industry
 >>p.d.: 0.7 mm, m.w.: 1150 mm
 >>pitch 4 mm




A46 Button
 >>tobacco industry
 >>p.d.: 2.0 mm, m.w.: 1150 mm
 >>dia. 9 mm, pitch l = 35 mm,
 w = 19 mm




P13 Sawtooth (bigger pitch)
 >>meat, fish, poultry industry
 >>p.d.: 1.8 mm, m.w.: 1600 mm
 >>pitch 9 mm




P14 Longitudinal ribs 50 mm
 >>wood industry
 >>p.d.: 3.0 mm, m.w.: 1500 mm
 >>pitch 50 mm




P17 Fine fabric structure
 >>general purpose
 >>m.w.: 3000 mm




A47 AmWeave
 >>inclined applications
 >>m.w.: 2200 mm
 >>low noise execution




A50 Wavegrip
 >>small inclined applications, mar-
 ble polishing
 >>p.d.: 1.0 mm, m.w.: 2100 mm
 >>waving, low noise execution




P2 Negative rhomboid
 >>confectionery, bakery industry
 >>p.d.: 0.4 mm, m.w.: 1500 mm
 >>diamonds 3 x 2 mm




P18 Medium fabric structure
 >>general purpose
 >>m.w.: 3000 mm




P19 Stipple top (small nipples)
 >>drum lagging, laundries,
 packaging, magnetic elevators
 >>p.d.: 1.0 mm, m.w.: 1500 mm
 >>dia. 1.5 mm




P20 Big nipple top (tobacco PVC)
 >>tobacco industry
 >>p.d.: 2.0 mm, m.w.: 1500 mm
 >>dia. 9 mm, pitch l = 27 mm,
 w = 10 mm




P3 Negative rectangle
 >>general purpose
 >>m.w.: 1600 mm




P4 Longitudinal ribs 25 mm
 >>agriculture, horticulture
 >>p.d.: 4.0 mm, m.w.: 1500 mm
 >>pitch 25 mm




P5 Fabric structure
 >>packaging, bakery industry
 >>p.d.: 0.4 mm, m.w.: 2000 mm
 >>pitch 4.5 mm,
 diagonal impression



P21 Big nipple top (tobacco PE)
 >>tobacco industry
 >>p.d.: 2.0 mm, m.w.: 1500 mm
 >>dia. 9 mm, pitch 35 mm



P22 Sand pattern (smooth)
 >>treadmills, drum lagging
 >>m.w.: 1600 mm



P23 Random pattern (boomerang)
 >>fish industry
 >>p.d.: 1.0 mm, m.w.: 1500 mm

C37 Supergrip C46 Pyramid Top

>> food, tobacco industry
 >> p.d.: 2.1 mm, m.w.: 1524 mm
 >> pitch 4 x 4 mm

C52 Diamond impression C57 Neatgrip C68 Chemclimb

>> wood sanding, airports, logistics
 >> p.d.: 4.0 mm, m.w.: 1829 mm
 >> diamonds 28 x 9 mm

>> treadmills, bakeries, dough handling
 >> p.d.: 1.2 mm, m.w.: 1829 mm

>> wet inclinations
 >> p.d.: 4.0 mm, m.w.: 1524 mm
 >> ovals 13 x 4 mm

C69 Meatcleat C71 Chemridge C72 Sandgrip (rough)

>> meat, poultry, seafood
 >> p.d.: 2.8 mm, m.w.: 1829 mm
 >> pitch 25 mm

>> general inclined transport
 >> p.d.: 4.0 mm, m.w.: 1524 mm
 >> pitch 13 mm

>> drum lagging, textile industry ... non slip tape
 >> m.w.: 1524 mm

P38 Very fine fabric structure

>> paper and printing industry
 >> m.w.: 1500 mm

C73 Light Supergrip A8-P15 Pepita A13-P28 Sawtooth

>> textile industry ... non-slip tape
 >> p.d.: 2.4 mm, m.w.: 1524 mm
 >> pitch 6 mm

>> inclined transport in clean circumstances
 >> m.w.: 2200 mm

>> meat, fish, poultry industry
 >> p.d.: 2.0 mm, m.w.: 2000 mm
 >> pitch 7 mm

P50 Grip face (wave)

A54-P33 Marathon A58-P39 Charlie

>> inclined applications
 >> p.d.: 3.5 mm, m.w.: 3200 mm
 >> low noise execution

>> treadmills
 >> m.w.: 2000 mm

>> confectionery industry
 >> m.w.: 1700 mm